



QUADRO RESUMO	
DISCRIMINACAO	ANOSIS (n=25)
ANOSIS DE GRAU 0 (V)	12
ANOSIS VERDES (V)	102
ANOSIS INSTAURACAO (V)	102
ANOSIS DE PRELACAO PERMANENTE	21,8337
FALSA "NON ACUT FALSI"	78,1662
ANOSIS DE GRAU 1 (V)	14,2972
ANOSIS DE GRAU 2 (V)	228,5882
ANOSIS DE GRAU 3 (V)	47,2500
ANOSIS DE GRAU 4 (V)	105,0000
ANOSIS DE GRAU 5 (V)	18
ANOSIS DE GRAU 6 (V)	1
ANOSIS TOTAL	472,9337
ANOSIS DE GRAU 0 (V)	12
ANOSIS VERDES (V)	102
ANOSIS INSTAURACAO (V)	102
ANOSIS DE PRELACAO PERMANENTE	21,8337
FALSA "NON ACUT FALSI"	78,1662
ANOSIS DE GRAU 1 (V)	14,2972
ANOSIS DE GRAU 2 (V)	228,5882
ANOSIS DE GRAU 3 (V)	47,2500
ANOSIS DE GRAU 4 (V)	105,0000
ANOSIS DE GRAU 5 (V)	18
ANOSIS DE GRAU 6 (V)	1
ANOSIS TOTAL	472,9337

[illegible]

